





Name:Matt
 Thickness:-
 Property:Non adhesive surface
 Application:General

Code:0
 Width:3000mm




Name:Saw tooth
 Thickness:1.5mm
 Property:Incline conveying
 Application:Poultry, Sea food processing

Code:6
 Width:2000mm




Name:Diamond 2mm
 Thickness:0.6mm
 Property:Non adhesive surface
 Application:Logistic, Food processing

Code:1
 Width:3000mm



Name:Golf
 Thickness:0.8mm
 Property:Low friction
 Application:Logistic, Treadmill belts

Code:7
 Width:2000mm




Name:Rough fabric
 Thickness:0.3mm
 Property:Non adhesive surface
 Application:General

Code:2
 Width:3000mm



Name:Long stud
 Thickness:1.3mm
 Property:Incline conveying, easy clean
 Application:Tobacco

Code:8
 Width:1450mm




Name:Rough top(Super grip)
 Thickness:2.4mm
 Property:Incline conveying, very high friction
 Application:Logistic, Airport

Code:3
 Width:2000mm




Name:Wavy Super grip
 Thickness:2.4mm
 Property:Incline conveying, very high friction
 Application:Logistic, Airport

Code:9
 Width:3000mm




Name:Round nipple
 Thickness:0.6mm
 Property:Incline conveying(small angle)
 Application:Marble, Roller wrapping material

Code:4
 Width:2000mm



Name:Staggered herringbone
 Thickness:3.0mm
 Property:Incline conveying
 Application:Agriculture

Code:10
 Width:1450mm




Name:Coarse texture
 Thickness:1.6mm
 Property:Incline conveying, high friction
 Application:Logistic, Treadmill belts

Code:5
 Width:2000mm



Name:Crescent
 Thickness:2.2mm
 Property:Incline conveying
 Application:Poultry, Sea food processing

Code:11
 Width:2000mm



12

Name:Mini grip
Thickness:1.0mm
Property:Incline conveying,medium friction
Application:Logistic, Treadmill belts


Code:12
Width:2000mm



19

Name:Longitudinal rib
Thickness:0.7mm
Property:Incline conveying, easy clean
Application:Logistic, Airport

Code:19
Width:2000mm



13

Name:Square 20mm
Thickness:3.8mm
Property:-
Application:Wood processing


Code:13
Width:2000mm



20

Name:Leather
Thickness:0.2mm
Property:-
Application:Treadmill belts


Code:20
Width:2000mm



14

Name:Fishbone
Thickness:1.8mm
Property:-
Application:Wood, Sea food processing


Code:14
Width:1450mm



22

Name:Big square 60mm
Thickness:4.0mm
Property:-
Application:Airport


Code:22
Width:1450mm



15

Name:Small golf
Thickness:0.2mm
Property:Low friction
Application:Marble processing


Code:15
Width:3000mm



23

Name:Tooth (one direction)
Thickness:5.0mm
Property:-
Application:Marble processing


Code:23
Width:2200mm



16

Name:Latitudinal fishbone
Thickness:2.7mm
Property:Longitudinal & Latitudinal good friction
Application:Glass, Poultry, Fish processing


Code:16
Width:1450mm



24

Name:Lattice
Thickness:0.5mm
Property:Incline conveying, medium friction
Application:Airport, Logistic, Textile


Code:24
Width:3000mm



17

Name:Shallow diamond
Thickness:0.25mm
Property:Low friction
Application:Treadmill belts


Code:17
Width:1450mm



25

Name:Low grip
Thickness:0.35mm
Property:Low friction
Application:Marble processing


Code:25
Width:2000mm



Name:Smooth fabric
 Thickness:0.1mm
 Property:Non adhesive surface
 Application:General

26

Code:26
 Width:3000mm



Name:Rough matt
 Thickness:0.1mm
 Property:Non adhesive surface
 Application:General

33


Code:33
 Width:2000mm



Name:Staggered stud
 Thickness:1.8mm
 Property:Incline conveying,easy clean
 Application:Tobacco

27

Code:27
 Width:2000mm



Name:Tooth (two-direction)
 Thickness:5.0mm
 Property:-
 Application:Marble processing

34


Code:34
 Width:2200mm



Name:Capsule stud
 Thickness:3.0mm
 Property:-
 Application:Wood processing

28

Code:28
 Width:1450mm



Name:Small nipple (sharp)
 Thickness:1.2mm
 Property:-
 Application:Bakeries,Laundry,Roller wrapping material

35


Code:35
 Width:1200mm



Name:Small rhombus
 Thickness:3.0mm
 Property:-
 Application:General

29

Code:29
 Width:3000mm



Name:Sharp nipple
 Thickness:1.4mm
 Property:-
 Application:Poultry,Sea food processing

36


Code:36
 Width:1200mm



Name:Sandblast
 Thickness:0.2mm
 Property:Non adhesive surface,medium friction
 Application:Logistic,Treadmill belt, Roller wrapping

31

Code:31
 Width:2000mm



Name:Big nipple
 Thickness:3.7mm
 Property:-
 Application:Agriculture,Roller wrapping material

37


Code:37
 Width:1200mm



Name:Cross rib
 Thickness:2.0mm
 Property:Timing conveying(With proper roller)
 Application:-

32


Code:32
 Width:1200mm



Name:Triangle
 Thickness:1.0mm
 Property:-
 Application:Food,Tobacco

38


Code:38
 Width:1200mm




Name:Small diamond 1mm Code:39
 Thickness:0.2mm Width:1200mm
 Property:-
 Application:Bakeries,Chocolate




Name:Game coin Code:46
 Thickness:2.0mm Width:130mm
 Property:-
 Application:General




Name:Harlequin Code:40
 Thickness:0.1mm Width:1200mm
 Property:-
 Application:Chocolate



Name:Mini grip fabric Code:48
 Thickness:0.8mm Width:3200mm
 Property:-
 Application:-




Name:Fine matt Code:42
 Thickness:- Width:3000mm
 Property:-
 Application:General



Name:Y pattern Code:49
 Thickness:0.6mm Width:2200mm
 Property:-
 Application:Marble processing




Name:Grinding square Code:43
 Thickness:4.5mm Width:1400mm
 Property:-
 Application:Wood processing




Name:Super grip(square nipple) Code:50
 Thickness:3.0mm Width:2000mm
 Property:-
 Application:-



Name:Rice Code:44
 Thickness:0.3mm Width:3000mm
 Property:-
 Application:Sea food processing



Name:Round stud Code:C
 Thickness:2.8mm Width:1450mm
 Property:Incline conveying,easy clean
 Application:Tobacco



Name:Super grip fabric Code:45
 Thickness:3.2mm Width:2000mm
 Property:Incline conveying, very high friction
 Application:-



Name:Oval stud Code:T
 Thickness:2.5mm Width:3000mm
 Property:Incline conveying,easy clean
 Application:Tobacco